: BASKET BASE ASSEMBLY (350)

Thursday, 2/9/2006 1:37:16 PM

User:

Kim Johnston

**Process Sheet** 

Customer

: CU-DAR001 Dart Helicopters Services

Job Number **Estimate Number** 

: 25754A

: 10189

P.O. Number

: NIA

This Issue Prsht Rev. : 2/9/2006

: NC

: NIA

: 25614C

S.O. No. :NIA

: LARGE FAB ASSY

Part Number

**Drawing Name** 

: D2221 : D2221 REV F

**Drawing Number** 

: N/A

Project Number **Drawing Revision** 

:NA

Material **Due Date** 

: 2/28/2006

Qty:

1 Um:

Each

Written By

First Issue

**Previous Run** 

Checked & Approved By

Comment

05.09.02

Added D3442-1KJ/JLM

COMMENT Below

**Additional Product** 

Job Number:



Seq. #:

Machine Or Operation:

Description:

1.0

2.0

D31661

Basket Hoop

Comment: Qty.:

4.0000 Each(s)/Unit Total:

Pick:

**Qty Part Number** 

Description Batch

4 D3166-1 RIB

B 825844

D22323

Basket Hinge

4.0000 Each(s)

N 06/03 /3

106/03/02

Comment: Qty.:

2.0000 Each(s)/Unit

Total:

2.0000 Each(s)

Pick:

Qty Part Number Description Batch

2 D2232-3 Hinge bracket <u>A 24527</u>

3.0 D2325

Support Gusset (350 Bask



Comment: Qty.:

4.0000 Each(s)/Unit Total:

4.0000 Each(s)

Pick:

**Qty Part Number** 

Description Batch

4 D2325

Support Gusset R 25687

106/03/02

4.0

D23273

Spacer Bushing



Comment: Qty.:

2.0000 Each(s)/Unit Total:

2.0000 Each(s)

Pick:

**Qty Part Number** 

Description

2 D2327-3 Bushing

1 06/03/02

## Dart Aerospace Ltd

Part No: PAR #: Fault Category: NCR: Yes No DQA: Date: QA: N/C Closed: Date: NCR: WORK ORDER NON-CONFORMANCE (NCR)  DATE STEP Description of NC Corrective Action Section B		· · · · · · · · · · · · · · · · · · ·										
Part No:PAR #: Fault Category: NCR: Yes No DQA: Date: QA: N/C Closed: Date: NCR: WORK ORDER NON-CONFORMANCE (NCR)  DATE STEP Description of NC Section A	W/O:			WC	RK ORDER CHAN	IGES		<del>77</del>				
NCR: WORK ORDER NON-CONFORMANCE (NCR)    Date   STEP   Description of NC   Section B   Section B   Section C   Chief Eng   Chi	DATE	STEP	PROCEDURE CHANGE					Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
NCR: WORK ORDER NON-CONFORMANCE (NCR)    Date   STEP   Description of NC   Section B   Section B   Section C   Chief Eng   Chi					•							
NCR: WORK ORDER NON-CONFORMANCE (NCR)    Date   STEP   Description of NC   Section B   Section B   Section C   Chief Eng   Chi												
NCR: WORK ORDER NON-CONFORMANCE (NCR)    Date   STEP   Description of NC   Section B   Section B   Section C   Chief Eng   Chi												
NCR: WORK ORDER NON-CONFORMANCE (NCR)    Date   STEP   Description of NC   Section B   Section B   Section C   Chief Eng   Chi	Part No.	•	DAD #.	Equit Catao		NCD: V				Data	***************************************	
DATE STEP Description of NC Section A Section A Section B Section B Section B Section C Section	r art 140	•	FAN#	Fault Categ	jory:							
DATE STEP Section A Section A Section A Section C Sign & Chief Eng Chief Eng Chief Eng Sign & Chief Eng Ch	NCR:			WORK ORDE	R NON-CONFORM	MANCE (N	CR)					
Section A Chief Eng Chief Eng Chief Eng Section C Chief Eng QC Inspection Chief Eng Ch	DATE	STED					Verification		Approval	Approval		
		SIEF			Action Description Chief Eng			Section C	Chief Eng	QC Inspector		
						·	i					
								-				

NOTE: Date & initial all entries

Date: Thursday, 2/9/2006 1:37:16 PM User: Kim Johnston **Process Sheet** Customer: CU-DAR001 Dart Helicopters Services Drawing Name: BASKET BASE ASSEMBLY (350) Job Number: 25754A Part Number: D2221 Job Number: Seq. #: **Machine Or Operation:** Description: 5.0 D2581 Mounting Bracket Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Pick: Description Batch **Qtv Part Number** 106/03/02 Mounting Bracket \$95/39 2 D2581 6.0 D34421 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Comment: Qty.: Pick: **Qty Part Number** Description 23544 M06/03/02 2 D3442-1 Shim 7.0 M304EX07516F Expanded Metal Flat Stai Comment: Qty.: 37.8000 sf(s)/Unit Total: 37.8000 sf(s) Pick: **Qtv Part Number** Description Batch 36 sf M304EX0.75-16F Expanded Metal 8.0 M304TS0750W065 304 SQ Tube.75x.75x.065W Comment: Qty.: 29.4000 f(s)/Unit Total: 29.4000 f(s) Pick: 3/4" x 3/4" x 0.063 wall 304/316 SStubing Batch: M /00/38 DO6/03/02 LARGE FAB 1 LARGE FABRICATION RESOURCE 1 9.0 Comment: LARGE FABRICATION RESOURCE 1 1-Cut D2235-1 Rib from D3166-1 Rib As Per Dwg D2235 2-Drill hole in D2221-3 as per Dwg D2221 1106/03/67

3-Deburr

4-Remove all markings on material before welding

5-Weld as per Dwg D2221 using Welding Table and corner JigDeburr as required

# **Dart Aerospace Ltd**

W/O:	<u> </u>		W	ORK ORDER CHAN	GES		<del> </del>	
DATE	STEP	PR	Ву	Date Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
Part No	•	PAR #:	Fault Cate	gory.	NCR: Yes	No. DOA: 5	Date:	2/13/12
	·	130%	raun oato	90.7.		C Closed:		_
NCR:		,	WORK ORD	ER NON-CONFORM	IANCE (NCR	)		
DATE	STEP	Description of NC Corrective Action Section				Verification Annro		
DAIL	SIEF	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	Approval QC Inspector

NOTE: Date & initial all entries

Date: Thursday, 2/9/2006 1:37:16 PM User: Kim Johnston **Process Sheet** Drawing Name: BASKET BASE ASSEMBLY (350) Customer: CU-DAR001 Dart Helicopters Services Job Number: 25754A Part Number: D2221 Job Number: Seq. #: Description: **Machine Or Operation:** DDIMENSIONAL & WELDING INSPECTION QC9/6 10.0 Comment: DDIMENSIONAL & WELDING INSPECTION 06.05-07 POWDER COATING 11.0 Comment: POWDER COATING Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 12.0 INSPECT POWDER COAT/CHEMICAL CONVERSION Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION 13.0 HAND FINISHING RESOURCE #1 Comment: HAND FINISHING RESOURCE #1 Seal support gusset seam with white sikaflex-291 Batch: M19134 Expiry date: 06 / 06 aaz 14.0 DOCUMENT CONTROL Comment: DOCUMENT CONTROL Inspection Level 21 N Vo. 53-13 Job Completion

### **Dart Aerospace Ltd**

	. Jopado .									
W/O:			WC	ORK ORDER CHAN	NGES					
DATE	STEP	PROCEDURE CHANGE					Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No	:	PAR #:	Fault Cate	gory:	NCR:	Yes N	io DQ/	<b>A:</b>	Date:	
								d:	Date: _	
NCR:			WORK ORDI	ER NON-CONFORI	MANCE (	(NCR)				
DATE	CTED	Description of NC		ection B	VARITICATIO		ation	Approval	Approval	
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	n :	Sign & Date	Secti		Chief Eng	QC Inspector
								1		
						···				

NOTE: Date & initial all entries



				and the second s
	DESIG	BW	DRAWN BY PH	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
Ì	CHECK	⟨ED _1	APPROVED 44	DRAWING NO. REV. F
	i	#	THE STATE OF THE S	D2221 SHEET 1 OF 3
I	DATE			TITLE SCALE
	05.0	06.07		BASKET BASE ASSEMBLY (350) NTS
	С		95.11.21	SEPARATE BASKET AND LID
	D,		96.06.21	CHANGE LATCH
	E		01.04.19	CHANGE HINGE
	F		05.06.07	ADD SHIM UNDER HINGES, ADD HOLES FOR SPLIT LID BASKETS

RELEASED 05.08.19 9

#### PARTS LIST FOR D2221 BASKET BASE ASSEMBLY

PART NO	QUANTITY	LENGTH	LENGTH	DESCRIPTION
		Α	В	
D2221-1	2		96.00	RIB
D2221-3	2	Water the state of	25.50	RIB
D2221-5	2	18.88		RIB
D2221-7	1	55.25		RIB
D2232-3	2	N/A	N/A	HINGE PLATE
D2235-1	4	N/A	N/A	RIB
D2325	4	N/A	N/A	SUPPORT GUSSET
D2327-3	2	N/A	N/A	BUSHING
D2581	2	N/A	N/A	MTG BRKT
D3442-1	2	N/A	N/A	SHIM


SHOP COPY RETURN TO ENGINEERING UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE WORK ORDER

D2221-1/-3/-5/-7

- CUT LENGTH/SHAPE PER DIAGRAM AND PARTS LIST
- 2) MATERIAL: AISI 304/316 SS, 3/4 X 3/4 X 0.060 WALL SQUARE TUBING (REF. DART SPEC M304TS0.750W.060)
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- ALL DIMENSIONS ARE IN INCHES
- DRILL Ø0.257 HOLES ONLY WHEN ASSEMBLING D2221 BASE WITH D2989-041/-043 BASKET LID


Copyright @ 1994 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.






DESIGN BW	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
CHECKED	APPROVED #	DRAWING NO. D2221 SHEET	REV. 3 OF	
DATE	<u> </u>	TITLE	SCA	Œ
05.06.07		BASKET BASE ASSEMBLY (350)	1	:8



DRILL 3/8 HOLE AND INSTALL D2327-3 USING CLOSEST SPACE IN EXPANDED METAL FOR HOLE LOCATION BOTH ENDS

# SECTION A-A SAME BOTH END RIBS



Copyright © 1994 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

			: : : :
			-
			<i>V</i> .
			S
			•
		·	
			· · · · · · · · · · · · · · · · · · ·
			•
•			•
Managar Marca and American	Sales Sa		• • ندن تا ندا